

Active Directory Configuration Report

demonstration2k8.int



Trial Version

Company Confidential

This document is for authorised use by the intended recipient(s) only. It may contain proprietary material, confidential information and, or be subject to legal privilege. It should not be copied, disclosed to, retained or used by, any other party.

Microsoft, Windows and Active Directory are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Document Properties

Document	Active Directory Configuration Report
Date Created	30 March 2010
Time Created	16:39:39
XIA Configuration User	CENTREL-WS01\dhomer
Document Version	1.02
XIA Configuration Version	2.0.20.0

Table of Contents

Active Directory Domain Information

General Information	3
Relationships	3

Active Directory Domain Configuration

General Settings	4
Role Holders	4
Domain Trusts	4

Group Policy Objects

Default Domain Policy	5
Default Domain Controllers Policy	6
Service Accounts GPO	7
File and Print Server High Security GPO	8
Servers GPO	9
Sales Staff GPO	10
Desktop Users GPO	11

Sites and Services

Site Default-First-Site-Name	12
------------------------------	----

Schema Settings

Schema Classes	13
----------------	----

Version History

Trial Version

Active Directory Domain Information

This is an Example Windows 2008 Active Directory Domain. Several Group Policy Objects have been created and linked to OUs within the Domain.
No Schema changes have been made to this Domain.

General Information

Description	Sample Windows 2008 Domain
Item ID	1121
Primary Owner Name	Infrastructure Manager
Primary Owner Contact	ims@demonstration.int
Scanned on Date	22 June 2009
Client Version	1.3.31

Relationships

Source ItemID	Source Name	Relationship Type	Destination Item	Destination Name
1121	demonstration2k8.int	Is Contained Within	1000	Demonstration Inc.

Trial Version

Active Directory Domain Configuration

General Settings

Domain Name	demonstration2k8.int
Domain NetBIOS Name	DEMO-2K8
Domain SID	S-1-5-21-747355034-613511185-3544929988
Domain Functional Level	Windows 2003
Forest Functional Level	Windows 2003 Forest
Forest Name	demonstration2k8.int
Forest SID	S-1-5-21-747355034-613511185-3544929988

Role Holders

Role Name	Role Owner Name	Role Owner SID
Infrastructure Master	WIN-R3YEG9D9SBJ	S-1-5-21-747355034-613511185-3544929988-1000
Domain Naming Master	WIN-R3YEG9D9SBJ	S-1-5-21-747355034-613511185-3544929988-1000
PDC Emulator	WIN-R3YEG9D9SBJ	S-1-5-21-747355034-613511185-3544929988-1000
RID Master	WIN-R3YEG9D9SBJ	S-1-5-21-747355034-613511185-3544929988-1000
Schema Master	WIN-R3YEG9D9SBJ	S-1-5-21-747355034-613511185-3544929988-1000

Domain Trusts

There are no Trusts detected for this Active Directory Domain.

Trial Version

Group Policy Objects

Default Domain Policy

Schema Name	CN=Schema,CN=Configuration,DC=demonstration2k8,DC=int
Display Name	Default Domain Policy
GUID	{31B2F340-016D-11D2-945F-00C04FB984F9}
Computer Enabled	True
User Enabled	True
Created	22 June 2009 11:06:22
Last Modified	22 June 2009 11:18:30
User Version	0 (Directory) 0 (SYSVOL)
Computer Version	3 (Directory) 3 (SYSVOL)

Permissions

Account Name	Permission Type	Inherited	Denied
DEMO-2K8\Domain Admins	Custom	False	False
DEMO-2K8\Enterprise Admins	Custom	False	False
NT AUTHORITY\SYSTEM	Edit Security and Delete	True	False
NT AUTHORITY\Authenticated Users	Apply	True	False
NT AUTHORITY\ENTERPRISE DOMAIN CONTROLLERS	Read	True	False

Group Policy Links

Linked to	Link Enabled	Enforced
demonstration2k8.int/	True	False

Default Domain Controllers Policy

Schema Name	CN=Schema,CN=Configuration,DC=demonstration2k8,DC=int
Display Name	Default Domain Controllers Policy
GUID	{6AC1786C-016F-11D2-945F-00C04fB984F9}
Computer Enabled	True
User Enabled	True
Created	22 June 2009 11:06:22
Last Modified	22 June 2009 11:06:22
User Version	0 (Directory) 0 (SYSVOL)
Computer Version	1 (Directory) 1 (SYSVOL)

Permissions

Account Name	Permission Type	Inherited	Denied
DEMO-2K8\Domain Admins	Custom	False	False
DEMO-2K8\Enterprise Admins	Custom	False	False
NT AUTHORITY\SYSTEM	Edit Security and Delete	True	False
NT AUTHORITY\Authenticated Users	Apply	True	False
NT AUTHORITY\ENTERPRISE DOMAIN CONTROLLERS	Read	True	False

Group Policy Links

Linked to	Link Enabled	Enforced
demonstration2k8.int/Domain Controllers	True	False

Service Accounts GPO

Schema Name	CN=Schema,CN=Configuration,DC=demonstration2k8,DC=int
Display Name	Service Accounts GPO
GUID	{7DD70025-D60D-409C-9FB1-4EC6C53581FB}
Computer Enabled	True
User Enabled	True
Created	22 June 2009 11:56:00
Last Modified	22 June 2009 11:56:00
User Version	0 (Directory) 0 (SYSVOL)
Computer Version	0 (Directory) 0 (SYSVOL)

Permissions

Account Name	Permission Type	Inherited	Denied
NT AUTHORITY\Authenticated Users	Apply	True	False
DEMO-2K8\Domain Admins	Edit Security and Delete	True	False
DEMO-2K8\Enterprise Admins	Edit Security and Delete	True	False
NT AUTHORITY\ENTERPRISE DOMAIN CONTROLLERS	Read	True	False
NT AUTHORITY\SYSTEM	Edit Security and Delete	True	False

Group Policy Links

Linked to	Link Enabled	Enforced
demonstration2k8.int/Service Accounts	True	False

File and Print Server High Security GPO

Schema Name	CN=Schema,CN=Configuration,DC=demonstration2k8,DC=int
Display Name	File and Print Server High Security GPO
GUID	{AF2FA828-B4B5-4AB4-A282-F8241E911CD9}
Computer Enabled	True
User Enabled	True
Created	22 June 2009 11:55:46
Last Modified	22 June 2009 11:55:46
User Version	0 (Directory) 0 (SYSVOL)
Computer Version	0 (Directory) 0 (SYSVOL)

Permissions

Account Name	Permission Type	Inherited	Denied
NT AUTHORITY\Authenticated Users	Apply	True	False
DEMO-2K8\Domain Admins	Edit Security and Delete	True	False
DEMO-2K8\Enterprise Admins	Edit Security and Delete	True	False
NT AUTHORITY\ENTERPRISE DOMAIN CONTROLLERS	Read	True	False
NT AUTHORITY\SYSTEM	Edit Security and Delete	True	False

Group Policy Links

Linked to	Link Enabled	Enforced
demonstration2k8.int/Demonstration Inc./Servers/File & Print	True	False

Servers GPO

Schema Name	CN=Schema,CN=Configuration,DC=demonstration2k8,DC=int
Display Name	Servers GPO
GUID	{C160113F-F229-4E9D-B811-A18926092733}
Computer Enabled	True
User Enabled	True
Created	22 June 2009 11:55:26
Last Modified	22 June 2009 11:55:26
User Version	0 (Directory) 0 (SYSVOL)
Computer Version	0 (Directory) 0 (SYSVOL)

Permissions

Account Name	Permission Type	Inherited	Denied
NT AUTHORITY\Authenticated Users	Apply	True	False
DEMO-2K8\Domain Admins	Edit Security and Delete	True	False
DEMO-2K8\Enterprise Admins	Edit Security and Delete	True	False
NT AUTHORITY\ENTERPRISE DOMAIN CONTROLLERS	Read	True	False
NT AUTHORITY\SYSTEM	Edit Security and Delete	True	False

Group Policy Links

Linked to	Link Enabled	Enforced
demonstration2k8.int/Demonstration Inc./Servers	True	False

Sales Staff GPO

Schema Name	CN=Schema,CN=Configuration,DC=demonstration2k8,DC=int
Display Name	Sales Staff GPO
GUID	{DDA213AA-C8B8-477F-B40B-AFC1761D3720}
Computer Enabled	True
User Enabled	True
Created	22 June 2009 11:55:14
Last Modified	22 June 2009 11:55:14
User Version	0 (Directory) 0 (SYSVOL)
Computer Version	0 (Directory) 0 (SYSVOL)

Permissions

Account Name	Permission Type	Inherited	Denied
NT AUTHORITY\Authenticated Users	Apply	True	False
DEMO-2K8\Domain Admins	Edit Security and Delete	True	False
DEMO-2K8\Enterprise Admins	Edit Security and Delete	True	False
NT AUTHORITY\ENTERPRISE DOMAIN CONTROLLERS	Read	True	False
NT AUTHORITY\SYSTEM	Edit Security and Delete	True	False

Group Policy Links

Linked to	Link Enabled	Enforced
demonstration2k8.int/Demonstration Inc./Sales Users	True	False

Desktop Users GPO

Schema Name	CN=Schema,CN=Configuration,DC=demonstration2k8,DC=int
Display Name	Desktop Users GPO
GUID	{F0285D40-4509-46F4-A182-2A5B58431A03}
Computer Enabled	True
User Enabled	True
Created	22 June 2009 11:59:30
Last Modified	22 June 2009 11:59:30
User Version	0 (Directory) 0 (SYSVOL)
Computer Version	0 (Directory) 0 (SYSVOL)

Permissions

Account Name	Permission Type	Inherited	Denied
NT AUTHORITY\Authenticated Users	Apply	True	False
DEMO-2K8\Domain Admins	Edit Security and Delete	True	False
DEMO-2K8\Enterprise Admins	Edit Security and Delete	True	False
NT AUTHORITY\ENTERPRISE DOMAIN CONTROLLERS	Read	True	False
NT AUTHORITY\SYSTEM	Edit Security and Delete	True	False

Group Policy Links

Linked to	Link Enabled	Enforced
demonstration2k8.int/Demonstration Inc./Sales Users/Desktop	True	False
demonstration2k8.int/Demonstration Inc./Support Users/Desktop	True	False

Sites and Services

Site Default-First-Site-Name

Site Name	Default-First-Site-Name
Description	
InterSite Topology Generator	WIN-R3YEG9D9SBJ.demonstration2k8.int
Location	

Subnets in this Site

Name	Location	Description
------	----------	-------------

No Subnets were detected for this Site.

Server WIN-R3YEG9D9SBJ.demonstration2k8.int

Server Name	WIN-R3YEG9D9SBJ.demonstration2k8.int
Global Catalog	True
OS Version	Windows Server® 2008 Enterprise
Security ID	S-1-5-21-747355034-613511185-3544929988-1000

Replication Connections

Source	Destination	Compression	Transport
--------	-------------	-------------	-----------

Trial Version

Schema Settings

Schema Name	CN=Schema,CN=Configuration,DC=demonstration2k8,DC=int
Schema Version	44

Schema Classes

Name	Common Name	OID	Description
organization	Organization	2.5.6.4	Organization
nTDSDSA	NTDS-DSA	1.2.840.113556.1.5.7000.47	NTDS-DSA
dMD	DMD	1.2.840.113556.1.3.9	DMD
subSchema	SubSchema	2.5.20.1	SubSchema
attributeSchema	Attribute-Schema	1.2.840.113556.1.3.14	Attribute-Schema
account	account	0.9.2342.19200300.100.4.5	The account object class is used to define entries representing computer accounts.
classSchema	Class-Schema	1.2.840.113556.1.3.13	Class-Schema
aCSPolicy	ACS-Policy	1.2.840.113556.1.5.137	ACS-Policy
aCSResourceLimits	ACS-Resource-Limits	1.2.840.113556.1.5.191	ACS-Resource-Limits
aCSSubnet	ACS-Subnet	1.2.840.113556.1.5.138	ACS-Subnet
addressBookContainer	Address-Book-Container	1.2.840.113556.1.5.125	Address-Book-Container
addressTemplate	Address-Template	1.2.840.113556.1.3.58	Address-Template
applicationEntity	Application-Entity	2.5.6.12	Application-Entity
applicationProcess	Application-Process	2.5.6.11	Application-Process
applicationSettings	Application-Settings	1.2.840.113556.1.5.7000.49	Application-Settings
applicationSiteSettings	Application-Site-Settings	1.2.840.113556.1.5.68	Application-Site-Settings
applicationVersion	Application-Version	1.2.840.113556.1.5.216	Stores versioning information for an application and its schema.
builtinDomain	Builtin-Domain	1.2.840.113556.1.5.4	Builtin-Domain
categoryRegistration	Category-Registration	1.2.840.113556.1.5.74	Category-Registration
certificationAuthority	Certification-Authority	2.5.6.16	Certification-Authority
classRegistration	Class-Registration	1.2.840.113556.1.5.10	Class-Registration
classStore	Class-Store	1.2.840.113556.1.5.44	Class-Store
comConnectionPoint	Com-Connection-Point	1.2.840.113556.1.5.11	Com-Connection-Point
computer	Computer	1.2.840.113556.1.3.30	Computer
configuration	Configuration	1.2.840.113556.1.5.12	Configuration
connectionPoint	Connection-Point	1.2.840.113556.1.5.14	Connection-Point
contact	Contact	1.2.840.113556.1.5.15	Contact
person	Person	2.5.6.6	Person
container	Container	1.2.840.113556.1.3.23	Container
controlAccessRight	Control-Access-Right	1.2.840.113556.1.5.77	Control-Access-Right
country	Country	2.5.6.2	Country
cRLDistributionPoint	CRL-Distribution-Point	2.5.6.19	CRL-Distribution-Point
crossRef	Cross-Ref	1.2.840.113556.1.3.11	Cross-Ref

crossRefContainer	Cross-Ref-Container	1.2.840.113556.1.5.7000.53	Cross-Ref-Container
device	Device	2.5.6.14	Device
dfsConfiguration	Dfs-Configuration	1.2.840.113556.1.5.42	Dfs-Configuration
dHCPClass	DHCP-Class	1.2.840.113556.1.5.132	DHCP-Class
displaySpecifier	Display-Specifier	1.2.840.113556.1.5.84	Display-Specifier
displayTemplate	Display-Template	1.2.840.113556.1.3.59	Display-Template
dnsNode	Dns-Node	1.2.840.113556.1.5.86	Dns-Node
dnsZone	Dns-Zone	1.2.840.113556.1.5.85	Dns-Zone
document	document	0.9.2342.19200300.100.4.6	The document object class is used to define entries which represent documents.
documentSeries	documentSeries	0.9.2342.19200300.100.4.9	The documentSeries object class is used to define an entry which represents a series of documents.
domain	Domain	1.2.840.113556.1.5.66	Domain
domainDNS	Domain-DNS	1.2.840.113556.1.5.67	Domain-DNS
domainPolicy	Domain-Policy	1.2.840.113556.1.5.18	Domain-Policy
domainRelatedObject	domainRelatedObject	0.9.2342.19200300.100.4.17	The domainRelatedObject object class is used to define an entry which represents a series of documents.
dSUISettings	DS-UI-Settings	1.2.840.113556.1.5.183	DS-UI-Settings
dSA	DSA	2.5.6.13	DSA
dynamicObject	Dynamic-Object	1.3.6.1.4.1.1466.101.119.2	Dynamic-Object
fileLinkTracking	File-Link-Tracking	1.2.840.113556.1.5.52	File-Link-Tracking
fileLinkTrackingEntry	File-Link-Tracking-Entry	1.2.840.113556.1.5.59	File-Link-Tracking-Entry
foreignSecurityPrincipal	Foreign-Security-Principal	1.2.840.113556.1.5.76	Foreign-Security-Principal
friendlyCountry	friendlyCountry	0.9.2342.19200300.100.4.18	The friendlyCountry object class is used to define country entries in the DIT.
fTDfs	FT-Dfs	1.2.840.113556.1.5.43	FT-Dfs
group	Group	1.2.840.113556.1.5.8	Group
groupOfNames	Group-Of-Names	2.5.6.9	Group-Of-Names
groupOfUniqueNames	groupOfUniqueNames	2.5.6.17	Defines the entries for a group of unique names.
groupPolicyContainer	Group-Policy-Container	1.2.840.113556.1.5.157	Group-Policy-Container
indexServerCatalog	Index-Server-Catalog	1.2.840.113556.1.5.130	Index-Server-Catalog
inetOrgPerson	inetOrgPerson	2.16.840.1.113730.3.2.2	Represents people who are associated with an organization in some way.
infrastructureUpdate	Infrastructure-Update	1.2.840.113556.1.5.175	Infrastructure-Update
intellimirrorGroup	Intellimirror-Group	1.2.840.113556.1.5.152	Intellimirror-Group
intellimirrorSCP	Intellimirror-SCP	1.2.840.113556.1.5.151	Intellimirror-SCP
interSiteTransport	Inter-Site-Transport	1.2.840.113556.1.5.141	Inter-Site-Transport
interSiteTransportContainer	Inter-Site-Transport-Container	1.2.840.113556.1.5.140	Inter-Site-Transport-Container
ipsecBase	Ipsec-Base	1.2.840.113556.1.5.7000.56	Ipsec-Base
ipsecFilter	Ipsec-Filter	1.2.840.113556.1.5.118	Ipsec-Filter
ipsecISAKMPPolicy	Ipsec-ISAKMP-Policy	1.2.840.113556.1.5.120	Ipsec-ISAKMP-Policy
ipsecNegotiationPolicy	Ipsec-Negotiation-Policy	1.2.840.113556.1.5.119	Ipsec-Negotiation-Policy

ipsecNFA	Ipsec-NFA	1.2.840.113556.1.5.121	Ipsec-NFA
ipsecPolicy	Ipsec-Policy	1.2.840.113556.1.5.98	Ipsec-Policy
leaf	Leaf	1.2.840.113556.1.5.20	Leaf
licensingSiteSettings	Licensing-Site-Settings	1.2.840.113556.1.5.78	Licensing-Site-Settings
linkTrackObjectMoveTable	Link-Track-Object-Move-Table	1.2.840.113556.1.5.91	Link-Track-Object-Move-Table
linkTrackOMTEntry	Link-Track-OMT-Entry	1.2.840.113556.1.5.93	Link-Track-OMT-Entry
linkTrackVolEntry	Link-Track-Vol-Entry	1.2.840.113556.1.5.92	Link-Track-Vol-Entry
linkTrackVolumeTable	Link-Track-Volume-Table	1.2.840.113556.1.5.90	Link-Track-Volume-Table
locality	Locality	2.5.6.3	Locality
lostAndFound	Lost-And-Found	1.2.840.113556.1.5.139	Lost-And-Found
mailRecipient	Mail-Recipient	1.2.840.113556.1.3.46	Mail-Recipient
meeting	Meeting	1.2.840.113556.1.5.104	Meeting
msCOM-Partition	ms-COM-Partition	1.2.840.113556.1.5.193	Partition class. Default = adminDisplayName
msCOM-PartitionSet	ms-COM-PartitionSet	1.2.840.113556.1.5.194	PartitionSet class. Default = adminDisplayName
msDS-App-Configuration	ms-DS-App-Configuration	1.2.840.113556.1.5.220	Stores configuration parameters for an application.
msDS-AppData	ms-DS-App-Data	1.2.840.113556.1.5.241	Stores data that is to be used by an object. For example, profile information for a user object.
msDS-AzAdminManager	ms-DS-Az-Admin-Manager	1.2.840.113556.1.5.234	Root of Authorization Policy store instance
msDS-AzApplication	ms-DS-Az-Application	1.2.840.113556.1.5.235	Defines an installed instance of an application bound to a particular policy store.
msDS-AzOperation	ms-DS-Az-Operation	1.2.840.113556.1.5.236	Describes a particular operation supported by an application
msDS-AzRole	ms-DS-Az-Role	1.2.840.113556.1.5.239	Defines a set of operations that can be performed by a particular set of users within a particular scope
msDS-AzScope	ms-DS-Az-Scope	1.2.840.113556.1.5.237	Describes a set of objects managed by an application
msDS-AzTask	ms-DS-Az-Task	1.2.840.113556.1.5.238	Describes a set of operations
msDS-PasswordSettings	ms-DS-Password-Settings	1.2.840.113556.1.5.255	Password settings object for accounts
msDS-PasswordSettingsContainer	ms-DS-Password-Settings-Container	1.2.840.113556.1.5.256	Container for password settings objects
msDS-QuotaContainer	ms-DS-Quota-Container	1.2.840.113556.1.5.242	A special container that holds all quota specifications for the directory database.
msDS-QuotaControl	ms-DS-Quota-Control	1.2.840.113556.1.5.243	A class used to represent quota specifications for the directory database.
msExchConfigurationContainer	ms-Exch-Configuration-Container	1.2.840.113556.1.5.176	ms-Exch-Configuration-Container
msDFSR-LocalSettings	ms-DFSR-LocalSettings	1.2.840.113556.1.6.13.4.1	DFSR settings applicable to local computer
msDFSR-Subscriber	ms-DFSR-Subscriber	1.2.840.113556.1.6.13.4.2	Represents local computer membership of a replication group
msDFSR-Subscription	ms-DFSR-Subscription	1.2.840.113556.1.6.13.4.3	Represents local computer participation of a content set
msDFSR-GlobalSettings	ms-DFSR-GlobalSettings	1.2.840.113556.1.6.13.4.4	Global settings applicable to all replication group members
msDFSR-ReplicationGroup	ms-DFSR-ReplicationGroup	1.2.840.113556.1.6.13.4.5	Replication Group container

msDFSR-Content	ms-DFSR-Content	1.2.840.113556.1.6.13.4.6	Container for Dfsr-ContentSet objects
msDFSR-ContentSet	ms-DFSR-ContentSet	1.2.840.113556.1.6.13.4.7	Dfsr Content Set
msDFSR-Topology	ms-DFSR-Topology	1.2.840.113556.1.6.13.4.8	Container for objects that form the replication topology
msDFSR-Member	ms-DFSR-Member	1.2.840.113556.1.6.13.4.9	Replication group member
msDFSR-Connection	ms-DFSR-Connection	1.2.840.113556.1.6.13.4.10	Directional connection between two members
msieee80211-Policy	ms-ieee-80211-Policy	1.2.840.113556.1.5.240	class to store Wireless Network Policy Object
msPrint-ConnectionPolicy	ms-Print-ConnectionPolicy	1.2.840.113556.1.6.23.2	Pushed Printer Connection Policy1
msPKI-Enterprise-Oid	ms-PKI-Enterprise-Oid	1.2.840.113556.1.5.196	ms-PKI-Enterprise-Oid
msPKI-Key-Recovery-Agent	ms-PKI-Key-Recovery-Agent	1.2.840.113556.1.5.195	ms-PKI-Key-Recovery-Agent
ms-SQL-SQLServer	MS-SQL-SQLServer	1.2.840.113556.1.5.184	MS-SQL-SQLServer
ms-SQL-OLAPServer	MS-SQL-OLAPServer	1.2.840.113556.1.5.185	MS-SQL-OLAPServer
ms-SQL-SQLRepository	MS-SQL-SQLRepository	1.2.840.113556.1.5.186	MS-SQL-SQLRepository
ms-SQL-SQLPublication	MS-SQL-SQLPublication	1.2.840.113556.1.5.187	MS-SQL-SQLPublication
ms-SQL-SQLDatabase	MS-SQL-SQLDatabase	1.2.840.113556.1.5.188	MS-SQL-SQLDatabase
ms-SQL-OLAPDatabase	MS-SQL-OLAPDatabase	1.2.840.113556.1.5.189	MS-SQL-OLAPDatabase
ms-SQL-OLAPCube	MS-SQL-OLAPCube	1.2.840.113556.1.5.190	MS-SQL-OLAPCube
msTAPI-RtConference	ms-TAPI-Rt-Conference	1.2.840.113556.1.5.221	msTAPI-RtConference
msTAPI-RtPerson	ms-TAPI-Rt-Person	1.2.840.113556.1.5.222	msTAPI-RtPerson
msWMI-IntRangeParam	ms-WMI-IntRangeParam	1.2.840.113556.1.5.205	ms-WMI-IntRangeParam
msWMI-IntSetParam	ms-WMI-IntSetParam	1.2.840.113556.1.5.206	ms-WMI-IntSetParam
msWMI-MergeablePolicyTemplate	ms-WMI-MergeablePolicyTemplate	1.2.840.113556.1.5.202	ms-WMI-MergeablePolicyTemplate
msWMI-ObjectEncoding	ms-WMI-ObjectEncoding	1.2.840.113556.1.5.217	ms-WMI-ObjectEncoding
msWMI-PolicyTemplate	ms-WMI-PolicyTemplate	1.2.840.113556.1.5.200	ms-WMI-PolicyTemplate
msWMI-PolicyType	ms-WMI-PolicyType	1.2.840.113556.1.5.211	ms-WMI-PolicyType
msWMI-RangeParam	ms-WMI-RangeParam	1.2.840.113556.1.5.203	ms-WMI-RangeParam
msWMI-RealRangeParam	ms-WMI-RealRangeParam	1.2.840.113556.1.5.209	ms-WMI-RealRangeParam
msWMI-Rule	ms-WMI-Rule	1.2.840.113556.1.5.214	ms-WMI-Rule
msWMI-ShadowObject	ms-WMI-ShadowObject	1.2.840.113556.1.5.212	ms-WMI-ShadowObject
msWMI-SimplePolicyTemplate	ms-WMI-SimplePolicyTemplate	1.2.840.113556.1.5.201	ms-WMI-SimplePolicyTemplate
msWMI-Som	ms-WMI-Som	1.2.840.113556.1.5.213	ms-WMI-Som
msWMI-StringSetParam	ms-WMI-StringSetParam	1.2.840.113556.1.5.210	ms-WMI-StringSetParam
msWMI-UIntRangeParam	ms-WMI-UIntRangeParam	1.2.840.113556.1.5.207	ms-WMI-UIntRangeParam
msWMI-UIntSetParam	ms-WMI-UIntSetParam	1.2.840.113556.1.5.208	ms-WMI-UIntSetParam
msWMI-UnknownRangeParam	ms-WMI-UnknownRangeParam	1.2.840.113556.1.5.204	ms-WMI-UnknownRangeParam
msWMI-WMIGPO	ms-WMI-WMIGPO	1.2.840.113556.1.5.215	ms-WMI-WMIGPO
msMQConfiguration	MSMQ-Configuration	1.2.840.113556.1.5.162	MSMQ-Configuration
msMQ-Custom-Recipient	MSMQ-Custom-Recipient	1.2.840.113556.1.5.218	MSMQ-Custom-Recipient
msMQEnterpriseSettings	MSMQ-Enterprise-Settings	1.2.840.113556.1.5.163	MSMQ-Enterprise-Settings
msMQ-Group	MSMQ-Group	1.2.840.113556.1.5.219	MSMQ-Group
msMQMigratedUser	MSMQ-Migrated-User	1.2.840.113556.1.5.179	MSMQ-Migrated-User

mSMQQueue	MSMQ-Queue	1.2.840.113556.1.5.161	MSMQ-Queue
mSMQSettings	MSMQ-Settings	1.2.840.113556.1.5.165	MSMQ-Settings
mSMQSiteLink	MSMQ-Site-Link	1.2.840.113556.1.5.164	MSMQ-Site-Link
nTDSConnection	NTDS-Connection	1.2.840.113556.1.5.71	NTDS-Connection
nTDSDSARO	NTDS-DSA-RO	1.2.840.113556.1.5.254	A subclass of Directory Service Agent which is distinguished by its reduced privilege level.
nTDSService	NTDS-Service	1.2.840.113556.1.5.72	NTDS-Service
nTDSsiteSettings	NTDS-Site-Settings	1.2.840.113556.1.5.69	NTDS-Site-Settings
nTFRSMember	NTFRS-Member	1.2.840.113556.1.5.153	NTFRS-Member
nTFRSReplicaSet	NTFRS-Replica-Set	1.2.840.113556.1.5.102	NTFRS-Replica-Set
nTFRSSettings	NTFRS-Settings	1.2.840.113556.1.5.89	NTFRS-Settings
nTFRSSubscriber	NTFRS-Subscriber	1.2.840.113556.1.5.155	NTFRS-Subscriber
nTFRSSubscriptions	NTFRS-Subscriptions	1.2.840.113556.1.5.154	NTFRS-Subscriptions
organizationalPerson	Organizational-Person	2.5.6.7	Organizational-Person
organizationalRole	Organizational-Role	2.5.6.8	Organizational-Role
organizationalUnit	Organizational-Unit	2.5.6.5	Organizational-Unit
packageRegistration	Package-Registration	1.2.840.113556.1.5.49	Package-Registration
physicalLocation	Physical-Location	1.2.840.113556.1.5.97	Physical-Location
pKICertificateTemplate	PKI-Certificate-Template	1.2.840.113556.1.5.177	PKI-Certificate-Template
pKIEnrollmentService	PKI-Enrollment-Service	1.2.840.113556.1.5.178	PKI-Enrollment-Service
msPKI-PrivateKeyRecoveryAgent	ms-PKI-Private-Key-Recovery-Agent	1.2.840.113556.1.5.223	ms-PKI-Private-Key-Recovery-Agent
printQueue	Print-Queue	1.2.840.113556.1.5.23	Print-Queue
queryPolicy	Query-Policy	1.2.840.113556.1.5.106	Query-Policy
remoteMailRecipient	Remote-Mail-Recipient	1.2.840.113556.1.5.24	Remote-Mail-Recipient
remoteStorageServicePoint	Remote-Storage-Service-Point	1.2.840.113556.1.5.146	Remote-Storage-Service-Point
residentialPerson	Residential-Person	2.5.6.10	Residential-Person
rFC822LocalPart	rFC822LocalPart	0.9.2342.19200300.100.4.14	The rFC822LocalPart object class is used to define entries which represent the local part of mail addresses.
rIDManager	RID-Manager	1.2.840.113556.1.5.83	RID-Manager
rIDSet	RID-Set	1.2.840.113556.1.5.129	RID-Set
room	room	0.9.2342.19200300.100.4.7	The room object class is used to define entries representing rooms.
rpcContainer	Rpc-Container	1.2.840.113556.1.5.136	Rpc-Container
rpcEntry	rpc-Entry	1.2.840.113556.1.5.27	rpc-Entry
rpcGroup	rpc-Group	1.2.840.113556.1.5.80	rpc-Group
rpcProfile	rpc-Profile	1.2.840.113556.1.5.82	rpc-Profile
rpcProfileElement	rpc-Profile-Element	1.2.840.113556.1.5.26	rpc-Profile-Element
rpcServer	rpc-Server	1.2.840.113556.1.5.81	rpc-Server
rpcServerElement	rpc-Server-Element	1.2.840.113556.1.5.73	rpc-Server-Element
rRASAdministrationConnectionPoint	RRAS-Administration-Connection-Point	1.2.840.113556.1.5.150	RRAS-Administration-Connection-Point
rRASAdministrationDictionary	RRAS-Administration-Dictionary	1.2.840.113556.1.5.156	RRAS-Administration-Dictionary
samDomain	Sam-Domain	1.2.840.113556.1.5.3	Sam-Domain
samDomainBase	Sam-Domain-Base	1.2.840.113556.1.5.2	Sam-Domain-Base

samServer	Sam-Server	1.2.840.113556.1.5.5	Sam-Server
secret	Secret	1.2.840.113556.1.5.28	Secret
securityObject	Security-Object	1.2.840.113556.1.5.1	Security-Object
securityPrincipal	Security-Principal	1.2.840.113556.1.5.6	Security-Principal
server	Server	1.2.840.113556.1.5.17	Server
serversContainer	Servers-Container	1.2.840.113556.1.5.7000.48	Servers-Container
serviceAdministrationPoint	Service-Administration-Point	1.2.840.113556.1.5.94	Service-Administration-Point
serviceClass	Service-Class	1.2.840.113556.1.5.29	Service-Class
serviceConnectionPoint	Service-Connection-Point	1.2.840.113556.1.5.126	Service-Connection-Point
serviceInstance	Service-Instance	1.2.840.113556.1.5.30	Service-Instance
simpleSecurityObject	simpleSecurityObject	0.9.2342.19200300.100.4.19	The simpleSecurityObject object class is used to allow an entry to have a userPassword attribute when an entry's principal object classes do not allow userPassword as an attribute type.
site	Site	1.2.840.113556.1.5.31	Site
siteLink	Site-Link	1.2.840.113556.1.5.147	Site-Link
siteLinkBridge	Site-Link-Bridge	1.2.840.113556.1.5.148	Site-Link-Bridge
sitesContainer	Sites-Container	1.2.840.113556.1.5.107	Sites-Container
storage	Storage	1.2.840.113556.1.5.33	Storage
subnet	Subnet	1.2.840.113556.1.5.96	Subnet
subnetContainer	Subnet-Container	1.2.840.113556.1.5.95	Subnet-Container
top	Top	2.5.6.0	Top
trustedDomain	Trusted-Domain	1.2.840.113556.1.5.34	Trusted-Domain
typeLibrary	Type-Library	1.2.840.113556.1.5.53	Type-Library
user	User	1.2.840.113556.1.5.9	User
volume	Volume	1.2.840.113556.1.5.36	Volume
posixAccount	PosixAccount	1.3.6.1.1.1.2.0	Abstraction of an account with posix attributes
shadowAccount	ShadowAccount	1.3.6.1.1.1.2.1	Additional attributes for shadow passwords
posixGroup	PosixGroup	1.3.6.1.1.1.2.2	Abstraction of a group of accounts
ipService	IpService	1.3.6.1.1.1.2.3	Abstraction of an Internet Protocol service.
ipProtocol	IpProtocol	1.3.6.1.1.1.2.4	Abstraction of an IP protocol
oncRpc	OncRpc	1.3.6.1.1.1.2.5	Abstraction of an Open Network Computing (ONC) [RFC1057] Remote Procedure Call (RPC) binding
ipHost	IpHost	1.3.6.1.1.1.2.6	Abstraction of a host, an IP device.
ipNetwork	IpNetwork	1.3.6.1.1.1.2.7	Abstraction of a network. The distinguished value of the cn attribute denotes the network's canonical name
nisNetgroup	NisNetgroup	1.3.6.1.1.1.2.8	Abstraction of a netgroup. May refer to other netgroups
nisMap	NisMap	1.3.6.1.1.1.2.9	A generic abstraction of a nis map
nisObject	NisObject	1.3.6.1.1.1.2.10	An entry in a NIS map
ieee802Device	IEEE802Device	1.3.6.1.1.1.2.11	A device with a MAC address

bootableDevice	BootableDevice	1.3.6.1.1.1.2.12	A device with boot parameters
msSFU30MailAliases	msSFU-30-Mail-Aliases	1.2.840.113556.1.6.18.2.211	represents UNIX mail file data
msSFU30NetId	msSFU-30-Net-Id	1.2.840.113556.1.6.18.2.212	stores the network ID
msSFU30DomainInfo	msSFU-30-Domain-Info	1.2.840.113556.1.6.18.2.215	Represents an internal data structure used by Server for NIS.
msSFU30NetworkUser	msSFU-30-Network-User	1.2.840.113556.1.6.18.2.216	represents network file data
msSFU30NISMapConfig	msSFU-30-NIS-Map-Config	1.2.840.113556.1.6.18.2.217	represents an internal Data Structure used by Server for NIS
ms-net-ieee-80211-GroupPolicy	ms-net-ieee-80211-GroupPolicy	1.2.840.113556.1.5.251	This class represents an 802.11 wireless network group policy object. This class contains identifiers and configuration data relevant to an 802.11 wireless network.
ms-net-ieee-8023-GroupPolicy	ms-net-ieee-8023-GroupPolicy	1.2.840.113556.1.5.252	This class represents an 802.3 wired network group policy object. This class contains identifiers and configuration data relevant to an 802.3 wired network.
msFVE-RecoveryInformation	ms-FVE-RecoveryInformation	1.2.840.113556.1.5.253	This class contains BitLocker recovery information including GUIDs, recovery passwords, and keys. Full Volume Encryption (FVE) was the pre-release name for BitLocker Drive Encryption.
msDFS-DeletedLinkv2	ms-DFS-Deleted-Link-v2	1.2.840.113556.1.5.260	Deleted DFS Link in DFS namespace
msDFS-Linkv2	ms-DFS-Link-v2	1.2.840.113556.1.5.259	DFS Link in DFS namespace
msDFS-NamespaceAnchor	ms-DFS-Namespace-Anchor	1.2.840.113556.1.5.257	DFS namespace anchor
msDFS-Namepacev2	ms-DFS-Namepace-v2	1.2.840.113556.1.5.258	DFS namespace

Trial Version

Version History

Version	User Name	Version Date	Description
1.02	CENTREL-WS01\demo	23 February 2010 - 09:14	Updated Domain Notes
1.01	CENTREL-WS01\dhomer	05 July 2009 - 13:43	Updated Domain Information.

Trial Version