

SQL Instance Configuration Report

DEMO-SRV08\XCS



Trial Version

Company Confidential

This document is for authorised use by the intended recipient(s) only. It may contain proprietary material, confidential information and, or be subject to legal privilege. It should not be copied, disclosed to, retained or used by, any other party.

Microsoft, Windows and Active Directory are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Document Properties

Document	SQL Instance Configuration Report
Date Created	13 April 2010
Time Created	13:22:08
XIA Configuration User	CENTREL-WS01\demo
Document Version	1.01
XIA Configuration Version	2.0.20.0

Table of Contents

SQL Instance Information

General Information	3
Relationships	3

SQL Instance Configuration

General Settings	4
Memory Settings	4
Processors	4
Security	5
Connections	5
Database Settings	5
Advanced Settings	5

Databases

master	6
model	10
msdb	13
tempdb	16
XIAConfiguration	19

Instance Security

Logins	22
Server Roles	25

Version History

Trial Version

SQL Instance Information

This is a sample XIA Configuration database server.

General Information

Description	SQL 2005 Instance
Item ID	1219
Primary Owner Name	DBA Team
Primary Owner Contact	dba@demonstration.int
Scanned on Date	30 March 2010
Client Version	2.2.2

Relationships

Source ItemID	Source Name	Relationship Type	Destination Item	Destination Name
1219	DEMO-SRV08\XCS	Is Contained Within	1000	Demonstration Inc.
1219	DEMO-SRV08\XCS	Is Hosted On	1148	DEMO-SRV08
1219	DEMO-SRV08\XCS	Is Hosted On	1197	DEMO-SRV07

Trial Version

SQL Instance Configuration

General Settings

Host Server Name	DEMO-SRV08
Host Serial Number	1567-2755-7840-0707-4147-5466-98
Name	DEMO-SRV08\XCS
Product	Microsoft SQL Server
Product Level	SP1
Edition	Express Edition with Advanced Services
Operating System	5.2 (3790)
Platform	NT INTEL X86
Version	9.00.2047.00
Version Name	SQL 2005
Language	English (United States)
Processors	1
Root Directory	c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL
Server Collation	Latin1_General_CI_AS
Clustered	False

Memory Settings

Use AWE to Allocate Memory	False
Minimum Server Memory	0MB
Maximum Server Memory	2147483647MB
Index Creation Memory	0KB
Minimum Memory Per Query	1024KB

Processors

Maximum Worker Threads	0
Boost SQL Server Priority	False

Security

Server Authentication	Windows Authentication Mode
Auditing Level	None
Enable Server Proxy Account	False
Proxy Account Name	
Enable C2 Audit Tracing	False
Cross Database Ownership Chaining	False
XPCmd Shell Enabled	False

Connections

Maximum Concurrent Connections	0
Use Query Governor	False
Query Governor Limit	0
Allow Remote Connections	True
Remote Query Timeout	600 seconds
Named Pipes Enabled	False
TCPEnabled	True

Database Settings

Default Index Fill Factor	0
Default Backup Media Retention	0 days
Default Data Location	c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA
Default Log Location	c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA

Advanced Settings

Allow Triggers to Fire Others	True
Cursor Threshold	-1
Default Full-Text Language	1033
Default Language	0
Max Text Replication Size	65536
Scan for Startup Procs	False
Two Digit Year Cutoff	2049
Network Packet Size	4096 bytes
Remote Login Timeout	20 seconds
Cost Threshold for Parallelism	5
Locks	0
Max Degree of Parallelism	0
Query Wait	-1

Databases

master

Description	
Last Database Backup	None
Last Database Log Backup	None
Name	master
Owner	sa
Date Created	08 April 2003 09:13:36
ReadOnly	False
Size	5.25MB
Space Available	1.62MB
Users	6
Use Full Text Indexing	False

Database Options

Collation	Latin1_General_CI_AS
Recovery Model	Simple
Compatibility Level	SQL 2005 (90)
Auto Close	False
Auto Create Statistics	True
Auto Shrink	False
Auto Update Statistics	True
Auto Update Asynchronously	False
Close Cursor on Commit Enabled	False
ANSI NULL Default	False
ANSI NULLS Enabled	False
ANSI Padding Enabled	False
ANSI Warnings Enabled	False
Arithmetic Abort Enabled	False
Concatenate Null Yields Null	False
Cross Database Ownership Chaining Enabled	True
Date Correlation Optimization Enabled	False
Numeric Round Abort	False
Parameterization	Simple
Quoted Identifiers	False
Recursive Triggers Enabled	False
Trustworthy	False
Page Verify	Checksum
Database Read-Only	False
Database State	Normal

Trial Version

SQL Database Script

```
CREATE DATABASE [master] ON PRIMARY
( NAME = N'master', FILENAME = N'c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\master.mdf' , SIZE = 4096KB , MAXSIZE =
UNLIMITED, FILEGROWTH = 10%)
LOG ON
( NAME = N'mastlog', FILENAME = N'c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\mastlog.ldf' , SIZE = 1280KB , MAXSIZE =
UNLIMITED, FILEGROWTH = 10%)
COLLATE Latin1_General_CI_AS
EXEC dbo.sp_dbcmptlevel @dbname=N'master', @new_cmptlevel=90
IF (1 = FULLTEXTSERVICEPROPERTY('IsFullTextInstalled'))
begin
EXEC [master].[dbo].[sp_fulltext_database] @action = 'disable'
end
ALTER DATABASE [master] SET ANSI_NULL_DEFAULT OFF
ALTER DATABASE [master] SET ANSI_NULLS OFF
ALTER DATABASE [master] SET ANSI_PADDING OFF
ALTER DATABASE [master] SET ANSI_WARNINGS OFF
ALTER DATABASE [master] SET ARITHABORT OFF
ALTER DATABASE [master] SET AUTO_CLOSE OFF
ALTER DATABASE [master] SET AUTO_CREATE_STATISTICS ON
ALTER DATABASE [master] SET AUTO_SHRINK OFF
ALTER DATABASE [master] SET AUTO_UPDATE_STATISTICS ON
ALTER DATABASE [master] SET CURSOR_CLOSE_ON_COMMIT OFF
ALTER DATABASE [master] SET CURSOR_DEFAULT GLOBAL
ALTER DATABASE [master] SET CONCAT_NULL_YIELDS_NULL OFF
ALTER DATABASE [master] SET NUMERIC_ROUNDABORT OFF
ALTER DATABASE [master] SET QUOTED_IDENTIFIER OFF
ALTER DATABASE [master] SET RECURSIVE_TRIGGERS OFF
ALTER DATABASE [master] SET DISABLE_BROKER
ALTER DATABASE [master] SET AUTO_UPDATE_STATISTICS_ASYNC OFF
ALTER DATABASE [master] SET DATE_CORRELATION_OPTIMIZATION OFF
ALTER DATABASE [master] SET TRUSTWORTHY OFF
ALTER DATABASE [master] SET ALLOW_SNAPSHOT_ISOLATION ON
ALTER DATABASE [master] SET PARAMETERIZATION SIMPLE
ALTER DATABASE [master] SET READ_COMMITTED_SNAPSHOT OFF
ALTER DATABASE [master] SET READ_WRITE
ALTER DATABASE [master] SET RECOVERY SIMPLE
ALTER DATABASE [master] SET MULTI_USER
ALTER DATABASE [master] SET PAGE_VERIFY CHECKSUM
ALTER DATABASE [master] SET DB_CHAINING ON
```

Trial Version

Extended Properties

This Database has no extended properties

Database Files

Name	Type	File Group	Autogrowth	File Name
master	Data	PRIMARY	By 10Percent	c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\master.mdf
	Log	Not Applicable	By 10Percent	c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\mastlog.ldf

Database Users

User Name	Login	Default Schema	Database Roles
##MS_AgentSigningCertificate##	##MS_AgentSigningCertificate##		-
dbo	sa	dbo	db_owner
DEMO-SRV08\SQLServer2005MSFTEUser\$D EMO-SRV08\$XCS	DEMO-SRV08\SQLServer2005MSFTEUser\$D EMO-SRV08\$XCS		-
guest		guest	-
INFORMATION_SCHEMA			-
sys			-

Trial Version

model

Description	
Last Database Backup	None
Last Database Log Backup	None
Name	model
Owner	sa
Date Created	08 April 2003 09:13:36
ReadOnly	False
Size	2.94MB
Space Available	1.08MB
Users	4
Use Full Text Indexing	False

Database Options

Collation	Latin1_General_CI_AS
Recovery Model	Simple
Compatibility Level	SQL 2005 (90)
Auto Close	False
Auto Create Statistics	True
Auto Shrink	False
Auto Update Statistics	True
Auto Update Asynchronously	False
Close Cursor on Commit Enabled	False
ANSI NULL Default	False
ANSI NULLS Enabled	False
ANSI Padding Enabled	False
ANSI Warnings Enabled	False
Arithmetic Abort Enabled	False
Concatenate Null Yields Null	False
Cross Database Ownership Chaining Enabled	False
Date Correlation Optimization Enabled	False
Numeric Round Abort	False
Parameterization	Simple
Quoted Identifiers	False
Recursive Triggers Enabled	False
Trustworthy	False
Page Verify	Checksum
Database Read-Only	False
Database State	Normal
Restrict Access	Multiple

SQL Database Script

```
CREATE DATABASE [model] ON PRIMARY
( NAME = N'modeldev', FILENAME = N'c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\model.mdf' , SIZE = 2240KB , MAXSIZE =
UNLIMITED, FILEGROWTH = 1024KB )
LOG ON
( NAME = N'modellog', FILENAME = N'c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\modellog.ldf' , SIZE = 768KB , MAXSIZE =
UNLIMITED, FILEGROWTH = 10%)
COLLATE Latin1_General_CI_AS
EXEC dbo.sp_dbcmptlevel @dbname=N'model', @new_cmptlevel=90
IF (1 = FULLTEXTSERVICEPROPERTY('IsFullTextInstalled'))
begin
EXEC [model].[dbo].[sp_fulltext_database] @action = 'disable'
end
ALTER DATABASE [model] SET ANSI_NULL_DEFAULT OFF
ALTER DATABASE [model] SET ANSI_NULLS OFF
ALTER DATABASE [model] SET ANSI_PADDING OFF
ALTER DATABASE [model] SET ANSI_WARNINGS OFF
ALTER DATABASE [model] SET ARITHABORT OFF
ALTER DATABASE [model] SET AUTO_CLOSE OFF
ALTER DATABASE [model] SET AUTO_CREATE_STATISTICS ON
ALTER DATABASE [model] SET AUTO_SHRINK OFF
ALTER DATABASE [model] SET AUTO_UPDATE_STATISTICS ON
ALTER DATABASE [model] SET CURSOR_CLOSE_ON_COMMIT OFF
ALTER DATABASE [model] SET CURSOR_DEFAULT GLOBAL
ALTER DATABASE [model] SET CONCAT_NULL_YIELDS_NULL OFF
ALTER DATABASE [model] SET NUMERIC_ROUNDABORT OFF
ALTER DATABASE [model] SET QUOTED_IDENTIFIER OFF
ALTER DATABASE [model] SET RECURSIVE_TRIGGERS OFF
ALTER DATABASE [model] SET DISABLE_BROKER
ALTER DATABASE [model] SET AUTO_UPDATE_STATISTICS_ASYNC OFF
ALTER DATABASE [model] SET DATE_CORRELATION_OPTIMIZATION OFF
ALTER DATABASE [model] SET TRUSTWORTHY OFF
ALTER DATABASE [model] SET ALLOW_SNAPSHOT_ISOLATION OFF
ALTER DATABASE [model] SET PARAMETERIZATION SIMPLE
ALTER DATABASE [model] SET READ_COMMITTED_SNAPSHOT OFF
ALTER DATABASE [model] SET READ_WRITE
ALTER DATABASE [model] SET RECOVERY SIMPLE
ALTER DATABASE [model] SET MULTI_USER
ALTER DATABASE [model] SET PAGE_VERIFY CHECKSUM
ALTER DATABASE [model] SET DB_CHAINING OFF
```

Trial Version

Extended Properties

This Database has no extended properties

Database Files

Name	Type	File Group	Autogrowth	File Name
modeldev	Data	PRIMARY	By 1024KB	c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\model.mdf
	Log	Not Applicable	By 10Percent	c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\modellog.ldf

Database Users

User Name	Login	Default Schema	Database Roles
dbo	sa	dbo	db_owner
guest		guest	-
INFORMATION_SCHEMA			-
sys			-

Trial Version

msdb

Description	
Last Database Backup	None
Last Database Log Backup	None
Name	msdb
Owner	sa
Date Created	14 October 2005 01:54:05
ReadOnly	False
Size	7.44MB
Space Available	0.97MB
Users	4
Use Full Text Indexing	True

Database Options

Collation	Latin1_General_CI_AS
Recovery Model	Simple
Compatibility Level	SQL 2005 (90)
Auto Close	False
Auto Create Statistics	True
Auto Shrink	False
Auto Update Statistics	True
Auto Update Asynchronously	False
Close Cursor on Commit Enabled	False
ANSI NULL Default	False
ANSI NULLS Enabled	False
ANSI Padding Enabled	False
ANSI Warnings Enabled	False
Arithmetic Abort Enabled	False
Concatenate Null Yields Null	False
Cross Database Ownership Chaining Enabled	True
Date Correlation Optimization Enabled	False
Numeric Round Abort	False
Parameterization	Simple
Quoted Identifiers	False
Recursive Triggers Enabled	False
Trustworthy	True
Page Verify	Checksum
Database Read-Only	False
Database State	Normal
Restrict Access	Multiple

SQL Database Script

```
CREATE DATABASE [msdb] ON PRIMARY
( NAME = N'MSDBData', FILENAME = N'c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\MSDBData.mdf' , SIZE = 5568KB ,
MAXSIZE = UNLIMITED, FILEGROWTH = 10%)
LOG ON
( NAME = N'MSDBLog', FILENAME = N'c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\MSDBLog.ldf' , SIZE = 2048KB ,
MAXSIZE = 2048GB , FILEGROWTH = 10%)
COLLATE Latin1_General_CI_AS
EXEC dbo.sp_dbcmptlevel @dbname=N'msdb', @new_cmptlevel=90
IF (1 = FULLTEXTSERVICEPROPERTY('IsFullTextInstalled'))
begin
EXEC [msdb].[dbo].[sp_fulltext_database] @action = 'enable'
end
ALTER DATABASE [msdb] SET ANSI_NULL_DEFAULT OFF
ALTER DATABASE [msdb] SET ANSI_NULLS OFF
ALTER DATABASE [msdb] SET ANSI_PADDING OFF
ALTER DATABASE [msdb] SET ANSI_WARNINGS OFF
ALTER DATABASE [msdb] SET ARITHABORT OFF
ALTER DATABASE [msdb] SET AUTO_CLOSE OFF
ALTER DATABASE [msdb] SET AUTO_CREATE_STATISTICS ON
ALTER DATABASE [msdb] SET AUTO_SHRINK OFF
ALTER DATABASE [msdb] SET AUTO_UPDATE_STATISTICS ON
ALTER DATABASE [msdb] SET CURSOR_CLOSE_ON_COMMIT OFF
ALTER DATABASE [msdb] SET CURSOR_DEFAULT GLOBAL
ALTER DATABASE [msdb] SET CONCAT_NULL_YIELDS_NULL OFF
ALTER DATABASE [msdb] SET NUMERIC_ROUNDABORT OFF
ALTER DATABASE [msdb] SET QUOTED_IDENTIFIER OFF
ALTER DATABASE [msdb] SET RECURSIVE_TRIGGERS OFF
ALTER DATABASE [msdb] SET ENABLE_BROKER
ALTER DATABASE [msdb] SET AUTO_UPDATE_STATISTICS_ASYNC OFF
ALTER DATABASE [msdb] SET DATE_CORRELATION_OPTIMIZATION OFF
ALTER DATABASE [msdb] SET TRUSTWORTHY ON
ALTER DATABASE [msdb] SET ALLOW_SNAPSHOT_ISOLATION ON
ALTER DATABASE [msdb] SET PARAMETERIZATION SIMPLE
ALTER DATABASE [msdb] SET READ_COMMITTED_SNAPSHOT OFF
ALTER DATABASE [msdb] SET READ_WRITE
ALTER DATABASE [msdb] SET RECOVERY SIMPLE
ALTER DATABASE [msdb] SET MULTI_USER
ALTER DATABASE [msdb] SET PAGE_VERIFY CHECKSUM
ALTER DATABASE [msdb] SET DB_CHAINING ON
```

Trial Version

Extended Properties

This Database has no extended properties

Database Files

Name	Type	File Group	Autogrowth	File Name
MSDBData	Data	PRIMARY	By 10Percent	c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\MSDBData.mdf
	Log	Not Applicable	By 10Percent	c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\MSDBLog.ldf

Database Users

User Name	Login	Default Schema	Database Roles
dbo	sa	dbo	db_owner
guest		guest	-
INFORMATION_SCHEMA			-
sys			-

Trial Version

tempdb

Description	
Last Database Backup	None
Last Database Log Backup	None
Name	tempdb
Owner	sa
Date Created	10 March 2010 10:20:47
ReadOnly	False
Size	2.94MB
Space Available	1.03MB
Users	4
Use Full Text Indexing	False

Database Options

Collation	Latin1_General_CI_AS
Recovery Model	Simple
Compatibility Level	SQL 2005 (90)
Auto Close	False
Auto Create Statistics	True
Auto Shrink	False
Auto Update Statistics	True
Auto Update Asynchronously	False
Close Cursor on Commit Enabled	False
ANSI NULL Default	False
ANSI NULLS Enabled	False
ANSI Padding Enabled	False
ANSI Warnings Enabled	False
Arithmetic Abort Enabled	False
Concatenate Null Yields Null	False
Cross Database Ownership Chaining Enabled	True
Date Correlation Optimization Enabled	False
Numeric Round Abort	False
Parameterization	Simple
Quoted Identifiers	False
Recursive Triggers Enabled	False
Trustworthy	False
Page Verify	None
Database Read-Only	False
Database State	Normal
Restrict Access	Multiple

SQL Database Script

```
CREATE DATABASE [tempdb] ON PRIMARY
( NAME = N'tempdev', FILENAME = N'c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\tempdb.mdf' , SIZE = 2048KB , MAXSIZE =
UNLIMITED, FILEGROWTH = 10%)
LOG ON
( NAME = N'templog', FILENAME = N'c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\templog.ldf' , SIZE = 512KB , MAXSIZE =
UNLIMITED, FILEGROWTH = 10%)
COLLATE Latin1_General_CI_AS
EXEC dbo.sp_dbcmptlevel @dbname=N'tempdb', @new_cmptlevel=90
IF (1 = FULLTEXTSERVICEPROPERTY('IsFullTextInstalled'))
begin
EXEC [tempdb].[dbo].[sp_fulltext_database] @action = 'disable'
end
ALTER DATABASE [tempdb] SET ANSI_NULL_DEFAULT OFF
ALTER DATABASE [tempdb] SET ANSI_NULLS OFF
ALTER DATABASE [tempdb] SET ANSI_PADDING OFF
ALTER DATABASE [tempdb] SET ANSI_WARNINGS OFF
ALTER DATABASE [tempdb] SET ARITHABORT OFF
ALTER DATABASE [tempdb] SET AUTO_CLOSE OFF
ALTER DATABASE [tempdb] SET AUTO_CREATE_STATISTICS ON
ALTER DATABASE [tempdb] SET AUTO_SHRINK OFF
ALTER DATABASE [tempdb] SET AUTO_UPDATE_STATISTICS ON
ALTER DATABASE [tempdb] SET CURSOR_CLOSE_ON_COMMIT OFF
ALTER DATABASE [tempdb] SET CURSOR_DEFAULT GLOBAL
ALTER DATABASE [tempdb] SET CONCAT_NULL_YIELDS_NULL OFF
ALTER DATABASE [tempdb] SET NUMERIC_ROUNDABORT OFF
ALTER DATABASE [tempdb] SET QUOTED_IDENTIFIER OFF
ALTER DATABASE [tempdb] SET RECURSIVE_TRIGGERS OFF
ALTER DATABASE [tempdb] SET ENABLE_BROKER
ALTER DATABASE [tempdb] SET AUTO_UPDATE_STATISTICS_ASYNC OFF
ALTER DATABASE [tempdb] SET DATE_CORRELATION_OPTIMIZATION OFF
ALTER DATABASE [tempdb] SET TRUSTWORTHY OFF
ALTER DATABASE [tempdb] SET ALLOW_SNAPSHOT_ISOLATION OFF
ALTER DATABASE [tempdb] SET PARAMETERIZATION SIMPLE
ALTER DATABASE [tempdb] SET READ_COMMITTED_SNAPSHOT OFF
ALTER DATABASE [tempdb] SET READ_WRITE
ALTER DATABASE [tempdb] SET RECOVERY SIMPLE
ALTER DATABASE [tempdb] SET MULTI_USER
ALTER DATABASE [tempdb] SET PAGE_VERIFY NONE
ALTER DATABASE [tempdb] SET DB_CHAINING ON
```

Trial Version

Extended Properties

This Database has no extended properties

Database Files

Name	Type	File Group	Autogrowth	File Name
tempdev	Data	PRIMARY	By 10Percent	c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\tempdb.mdf
	Log	Not Applicable	By 10Percent	c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\templog.ldf

Database Users

User Name	Login	Default Schema	Database Roles
dbo	sa	dbo	db_owner
guest		guest	-
INFORMATION_SCHEMA			-
sys			-

Trial Version

XIAConfiguration

Description	
Last Database Backup	None
Last Database Log Backup	None
Name	XIAConfiguration
Owner	DEMO2\Administrator
Date Created	22 March 2010 10:38:02
ReadOnly	False
Size	4.50MB
Space Available	0.33MB
Users	6
Use Full Text Indexing	True

Database Options

Collation	Latin1_General_CI_AS
Recovery Model	Simple
Compatibility Level	SQL 2005 (90)
Auto Close	True
Auto Create Statistics	True
Auto Shrink	False
Auto Update Statistics	True
Auto Update Asynchronously	False
Close Cursor on Commit Enabled	False
ANSI NULL Default	False
ANSI NULLS Enabled	False
ANSI Padding Enabled	False
ANSI Warnings Enabled	False
Arithmetic Abort Enabled	False
Concatenate Null Yields Null	False
Cross Database Ownership Chaining Enabled	False
Date Correlation Optimization Enabled	False
Numeric Round Abort	False
Parameterization	Simple
Quoted Identifiers	False
Recursive Triggers Enabled	False
Trustworthy	False
Page Verify	Checksum
Database Read-Only	False
Database State	Normal, Shutdown
Restrict Access	Multiple

SQL Database Script

```
CREATE DATABASE [XIAConfiguration] ON PRIMARY
( NAME = N'XIAConfiguration', FILENAME = N'c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\XIAConfiguration.mdf' , SIZE =
2240KB , MAXSIZE = UNLIMITED, FILEGROWTH = 1024KB )
LOG ON
( NAME = N'XIAConfiguration_log', FILENAME = N'c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\XIAConfiguration_log.LDF' ,
SIZE = 2368KB , MAXSIZE = 2048GB , FILEGROWTH = 10%)
COLLATE Latin1_General_CI_AS
EXEC dbo.sp_dbcmptlevel @dbname=N'XIAConfiguration', @new_cmptlevel=90
IF (1 = FULLTEXTSERVICEPROPERTY('IsFullTextInstalled'))
begin
EXEC [XIAConfiguration].[dbo].[sp_fulltext_database] @action = 'enable'
end
ALTER DATABASE [XIAConfiguration] SET ANSI_NULL_DEFAULT OFF
ALTER DATABASE [XIAConfiguration] SET ANSI_NULLS OFF
ALTER DATABASE [XIAConfiguration] SET ANSI_PADDING OFF
ALTER DATABASE [XIAConfiguration] SET ANSI_WARNINGS OFF
ALTER DATABASE [XIAConfiguration] SET ARITHABORT OFF
ALTER DATABASE [XIAConfiguration] SET AUTO_CLOSE ON
ALTER DATABASE [XIAConfiguration] SET AUTO_CREATE_STATISTICS ON
ALTER DATABASE [XIAConfiguration] SET AUTO_SHRINK OFF
ALTER DATABASE [XIAConfiguration] SET AUTO_UPDATE_STATISTICS ON
ALTER DATABASE [XIAConfiguration] SET CURSOR_CLOSE_ON_COMMIT OFF
ALTER DATABASE [XIAConfiguration] SET CURSOR_DEFAULT GLOBAL
ALTER DATABASE [XIAConfiguration] SET CONCAT_NULL_YIELDS_NULL OFF
ALTER DATABASE [XIAConfiguration] SET NUMERIC_ROUNDABORT OFF
ALTER DATABASE [XIAConfiguration] SET QUOTED_IDENTIFIER OFF
ALTER DATABASE [XIAConfiguration] SET RECURSIVE_TRIGGERS OFF
ALTER DATABASE [XIAConfiguration] SET ENABLE_BROKER
ALTER DATABASE [XIAConfiguration] SET AUTO_UPDATE_STATISTICS_ASYNC OFF
ALTER DATABASE [XIAConfiguration] SET DATE_CORRELATION_OPTIMIZATION OFF
ALTER DATABASE [XIAConfiguration] SET TRUSTWORTHY OFF
ALTER DATABASE [XIAConfiguration] SET ALLOW_SNAPSHOT_ISOLATION OFF
ALTER DATABASE [XIAConfiguration] SET PARAMETERIZATION SIMPLE
ALTER DATABASE [XIAConfiguration] SET READ_COMMITTED_SNAPSHOT OFF
ALTER DATABASE [XIAConfiguration] SET READ_WRITE
ALTER DATABASE [XIAConfiguration] SET RECOVERY SIMPLE
ALTER DATABASE [XIAConfiguration] SET MULTI_USER
ALTER DATABASE [XIAConfiguration] SET PAGE_VERIFY CHECKSUM
ALTER DATABASE [XIAConfiguration] SET DB_CHAINING OFF
```

Trial Version

Extended Properties

This Database has no extended properties

Database Files

Name	Type	File Group	Autogrowth	File Name
XIAConfiguration	Data	PRIMARY	By 1024KB	c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\XIAConfiguration.mdf
	Log	Not Applicable	By 10Percent	c:\Program Files\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\XIAConfiguration_log.LDF

Database Users

User Name	Login	Default Schema	Database Roles
dbo	DEMO2\Administrator	dbo	db_owner
DEMO2\DEMO-SRV07\$	DEMO2\DEMO-SRV07\$	dbo	db_owner
guest		guest	-
INFORMATION_SCHEMA			-
NT AUTHORITY\Network Service	NT AUTHORITY\Network Service	dbo	db_owner
sys			-

Trial Version

Instance Security

Logins

BUILTINAdministrators

Login Type	WindowsGroup
Default Database	master
Login Disabled	False
Deny Connect	False
Creation Date	10 February 2010
Default Language	us_english

BUILTINUsers

Login Type	WindowsGroup
Default Database	master
Login Disabled	False
Deny Connect	False
Creation Date	10 February 2010
Default Language	us_english

DEMO2_XIAConfiguration

Login Type	WindowsUser
Default Database	master
Login Disabled	False
Deny Connect	False
Creation Date	10 February 2010
Default Language	us_english

DEMO2Administrator

Login Type	WindowsUser
Default Database	master
Login Disabled	False
Deny Connect	False
Creation Date	10 February 2010
Default Language	us_english

DEMO2\DEMO-SRV07\$

Login Type	WindowsUser
Default Database	master
Login Disabled	False
Deny Connect	False
Creation Date	10 March 2010
Default Language	us_english

DEMO-SRV08\SQLServer2005MSFTEUser\$DEMO-SRV08\$XCS

Login Type	WindowsGroup
Default Database	master
Login Disabled	False
Deny Connect	False
Creation Date	10 February 2010
Default Language	us_english

DEMO-SRV08\SQLServer2005MSSQLUser\$DEMO-SRV08\$XCS

Login Type	WindowsGroup
Default Database	master
Login Disabled	False
Deny Connect	False
Creation Date	10 February 2010
Default Language	us_english

NT AUTHORITY\Network Service

Login Type	WindowsUser
Default Database	master
Login Disabled	False
Deny Connect	False
Creation Date	08 March 2010
Default Language	us_english

NT AUTHORITY\SYSTEM

Login Type	WindowsUser
Default Database	master
Login Disabled	False
Deny Connect	False
Creation Date	10 February 2010
Default Language	us_english

sa

Login Type	SqlLogin
Default Database	master
Login Disabled	True
Deny Connect	False
Creation Date	08 April 2003
Default Language	us_english
Is Locked Out	False
Password has Expired	False
User Must Change Password	False
Password Expiration Enabled	False
Password Policy Enforced	True

Trial Version

Server Roles

Role Name	Members
bulkadmin	-
dbcreator	-
diskadmin	-
processadmin	-
public	-
securityadmin	-
serveradmin	-
setupadmin	-
sysadmin	sa BUILTIN\Administrators NT AUTHORITY\SYSTEM DEMO-SRV08\SQLServer2005MSSQLUser\$DEMO-SRV08\$XCS

Trial Version

Version History

Version	User Name	Version Date	Description
1.01	CENTREL-WS01\dhomer	31 March 2010 - 16:37	Updated notes
1.00	CENTREL-WS01\dhomer	30 March 2010 - 16:37	Updated contacts and description

Trial Version